

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
430.000,0	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON
430.012,5	ON	ON	ON	ON	ON	OFF	ON	ON	ON	ON
430.025,0	ON	ON	ON	ON	ON	ON	OFF	ON	ON	ON
430.037,5	ON	ON	ON	ON	ON	OFF	OFF	ON	ON	ON
430.050,0	ON	ON	ON	ON	ON	ON	ON	OFF	ON	ON
430.062,5	ON	ON	ON	ON	ON	OFF	ON	OFF	ON	ON
430.075,0	ON	ON	ON	ON	ON	ON	OFF	OFF	ON	ON
430.087,5	ON	ON	ON	ON	ON	OFF	OFF	OFF	ON	ON
430.100,0	ON	ON	ON	ON	ON	ON	ON	ON	OFF	ON
430.112,5	ON	ON	ON	ON	ON	OFF	ON	ON	OFF	ON
430.125,0	ON	ON	ON	ON	ON	ON	OFF	ON	OFF	ON
430.137,5	ON	ON	ON	ON	ON	OFF	OFF	ON	OFF	ON
430.150,0	ON	ON	ON	ON	ON	ON	ON	OFF	OFF	ON
430.162,5	ON	ON	ON	ON	ON	OFF	ON	OFF	OFF	ON
430.175,0	ON	ON	ON	ON	ON	ON	OFF	OFF	OFF	ON
430.187,5	ON	ON	ON	ON	ON	OFF	OFF	OFF	OFF	ON
430.200,0	ON	ON	ON	ON	ON	ON	ON	ON	ON	OFF
430.212,5	ON	ON	ON	ON	ON	OFF	ON	ON	ON	OFF
430.225,0	ON	ON	ON	ON	ON	ON	OFF	ON	ON	OFF
430.237,5	ON	ON	ON	ON	ON	OFF	OFF	ON	ON	OFF
430.250,0	ON	ON	ON	ON	ON	ON	ON	OFF	ON	OFF
430.262,5	ON	ON	ON	ON	ON	OFF	ON	OFF	ON	OFF
430.275,0	ON	ON	ON	ON	ON	ON	OFF	OFF	ON	OFF
430.287,5	ON	ON	ON	ON	ON	OFF	OFF	OFF	ON	OFF
430.300,0	ON	ON	ON	ON	ON	ON	ON	ON	OFF	OFF
430.312,5	ON	ON	ON	ON	ON	OFF	ON	ON	OFF	OFF
430.325,0	ON	ON	ON	ON	ON	ON	OFF	ON	OFF	OFF
430.337,5	ON	ON	ON	ON	ON	OFF	OFF	ON	OFF	OFF
430.350,0	ON	ON	ON	ON	ON	ON	ON	OFF	OFF	OFF
430.362,5	ON	ON	ON	ON	ON	OFF	ON	OFF	OFF	OFF
430.375,0	ON	ON	ON	ON	ON	ON	OFF	OFF	OFF	OFF
430.387,5	ON	ON	ON	ON	ON	OFF	OFF	OFF	OFF	OFF
430.400,0	OFF	ON	ON	ON	ON	ON	ON	ON	ON	ON
430.412,5	OFF	ON	ON	ON	ON	OFF	ON	ON	ON	ON
430.425,0	OFF	ON	ON	ON	ON	ON	OFF	ON	ON	ON
430.437,5	OFF	ON	ON	ON	ON	OFF	OFF	ON	ON	ON
430.450,0	OFF	ON	ON	ON	ON	ON	ON	OFF	ON	ON
430.462,5	OFF	ON	ON	ON	ON	OFF	ON	OFF	ON	ON
430.475,0	OFF	ON	ON	ON	ON	ON	OFF	OFF	ON	ON
430.487,5	OFF	ON	ON	ON	ON	OFF	OFF	OFF	ON	ON
430.500,0	OFF	ON	ON	ON	ON	ON	ON	ON	OFF	ON
430.512,5	OFF	ON	ON	ON	ON	OFF	ON	ON	OFF	ON
430.525,0	OFF	ON	ON	ON	ON	ON	OFF	ON	OFF	ON
430.537,5	OFF	ON	ON	ON	ON	OFF	OFF	ON	OFF	ON
430.550,0	OFF	ON	ON	ON	ON	ON	ON	OFF	OFF	ON
430.562,5	OFF	ON	ON	ON	ON	OFF	ON	OFF	OFF	ON
430.575,0	OFF	ON	ON	ON	ON	ON	OFF	OFF	OFF	ON
430.587,5	OFF	ON	ON	ON	ON	OFF	OFF	OFF	OFF	ON
430.600,0	OFF	ON	ON	ON	ON	ON	ON	ON	ON	OFF
430.612,5	OFF	ON	ON	ON	ON	OFF	ON	ON	ON	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
430.625,0	OFF	ON	ON	ON	ON	ON	OFF	ON	ON	OFF
430.637,5	OFF	ON	ON	ON	ON	OFF	OFF	ON	ON	OFF
430.650,0	OFF	ON	ON	ON	ON	ON	ON	OFF	ON	OFF
430.662,5	OFF	ON	ON	ON	ON	OFF	ON	OFF	ON	OFF
430.675,0	OFF	ON	ON	ON	ON	ON	OFF	OFF	ON	OFF
430.687,5	OFF	ON	ON	ON	ON	OFF	OFF	OFF	ON	OFF
430.700,0	OFF	ON	ON	ON	ON	ON	ON	ON	OFF	OFF
430.712,5	OFF	ON	ON	ON	ON	OFF	ON	ON	OFF	OFF
430.725,0	OFF	ON	ON	ON	ON	ON	OFF	ON	OFF	OFF
430.737,5	OFF	ON	ON	ON	ON	OFF	OFF	ON	OFF	OFF
430.750,0	OFF	ON	ON	ON	ON	ON	ON	OFF	OFF	OFF
430.762,5	OFF	ON	ON	ON	ON	OFF	ON	OFF	OFF	OFF
430.775,0	OFF	ON	ON	ON	ON	ON	OFF	OFF	OFF	OFF
430.787,5	OFF	ON	ON	ON	ON	OFF	OFF	OFF	OFF	OFF
430.800,0	ON	OFF	ON	ON	ON	ON	ON	ON	ON	ON
430.812,5	ON	OFF	ON	ON	ON	OFF	ON	ON	ON	ON
430.825,0	ON	OFF	ON	ON	ON	ON	OFF	ON	ON	ON
430.837,5	ON	OFF	ON	ON	ON	OFF	OFF	ON	ON	ON
430.850,0	ON	OFF	ON	ON	ON	ON	ON	OFF	ON	ON
430.862,5	ON	OFF	ON	ON	ON	OFF	ON	OFF	ON	ON
430.875,0	ON	OFF	ON	ON	ON	ON	OFF	OFF	ON	ON
430.887,5	ON	OFF	ON	ON	ON	OFF	OFF	OFF	ON	ON
430.900,0	ON	OFF	ON	ON	ON	ON	ON	ON	OFF	ON
430.912,5	ON	OFF	ON	ON	ON	OFF	ON	ON	OFF	ON
430.925,0	ON	OFF	ON	ON	ON	ON	OFF	ON	OFF	ON
430.937,5	ON	OFF	ON	ON	ON	OFF	OFF	ON	OFF	ON
430.950,0	ON	OFF	ON	ON	ON	ON	ON	OFF	OFF	ON
430.962,5	ON	OFF	ON	ON	ON	OFF	ON	OFF	OFF	ON
430.975,0	ON	OFF	ON	ON	ON	ON	OFF	OFF	OFF	ON
430.987,5	ON	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	ON
431.000,0	ON	OFF	ON	ON	ON	ON	ON	ON	ON	OFF
431.012,5	ON	OFF	ON	ON	ON	OFF	ON	ON	ON	OFF
431.025,0	ON	OFF	ON	ON	ON	ON	OFF	ON	ON	OFF
431.037,5	ON	OFF	ON	ON	ON	OFF	OFF	ON	ON	OFF
431.050,0	ON	OFF	ON	ON	ON	ON	ON	OFF	ON	OFF
431.062,5	ON	OFF	ON	ON	ON	OFF	ON	OFF	ON	OFF
431.075,0	ON	OFF	ON	ON	ON	ON	OFF	OFF	ON	OFF
431.087,5	ON	OFF	ON	ON	ON	OFF	OFF	OFF	ON	OFF
431.100,0	ON	OFF	ON	ON	ON	ON	ON	ON	OFF	OFF
431.112,5	ON	OFF	ON	ON	ON	OFF	ON	ON	OFF	OFF
431.125,0	ON	OFF	ON	ON	ON	ON	OFF	ON	OFF	OFF
431.137,5	ON	OFF	ON	ON	ON	OFF	OFF	ON	OFF	OFF
431.150,0	ON	OFF	ON	ON	ON	ON	ON	OFF	OFF	OFF
431.162,5	ON	OFF	ON	ON	ON	OFF	ON	OFF	OFF	OFF
431.175,0	ON	OFF	ON	ON	ON	ON	OFF	OFF	OFF	OFF
431.187,5	ON	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	OFF
431.200,0	OFF	OFF	ON	ON	ON	ON	ON	ON	ON	ON
431.212,5	OFF	OFF	ON	ON	ON	OFF	ON	ON	ON	ON
431.225,0	OFF	OFF	ON	ON	ON	ON	OFF	ON	ON	ON
431.237,5	OFF	OFF	ON	ON	ON	OFF	OFF	ON	ON	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
431.250,0	OFF	OFF	ON	ON	ON	ON	ON	OFF	ON	ON
431.262,5	OFF	OFF	ON	ON	ON	OFF	ON	OFF	ON	ON
431.275,0	OFF	OFF	ON	ON	ON	ON	OFF	OFF	ON	ON
431.287,5	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	ON	ON
431.300,0	OFF	OFF	ON	ON	ON	ON	ON	ON	OFF	ON
431.312,5	OFF	OFF	ON	ON	ON	OFF	ON	ON	OFF	ON
431.325,0	OFF	OFF	ON	ON	ON	ON	OFF	ON	OFF	ON
431.337,5	OFF	OFF	ON	ON	ON	OFF	OFF	ON	OFF	ON
431.350,0	OFF	OFF	ON	ON	ON	ON	ON	OFF	OFF	ON
431.362,5	OFF	OFF	ON	ON	ON	OFF	ON	OFF	OFF	ON
431.375,0	OFF	OFF	ON	ON	ON	ON	OFF	OFF	OFF	ON
431.387,5	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	ON
431.400,0	OFF	OFF	ON	ON	ON	ON	ON	ON	ON	OFF
431.412,5	OFF	OFF	ON	ON	ON	OFF	ON	ON	ON	OFF
431.425,0	OFF	OFF	ON	ON	ON	ON	OFF	ON	ON	OFF
431.437,5	OFF	OFF	ON	ON	ON	OFF	OFF	ON	ON	OFF
431.450,0	OFF	OFF	ON	ON	ON	ON	ON	OFF	ON	OFF
431.462,5	OFF	OFF	ON	ON	ON	OFF	ON	OFF	ON	OFF
431.475,0	OFF	OFF	ON	ON	ON	ON	OFF	OFF	ON	OFF
431.487,5	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	ON	OFF
431.500,0	OFF	OFF	ON	ON	ON	ON	ON	ON	OFF	OFF
431.512,5	OFF	OFF	ON	ON	ON	OFF	ON	ON	OFF	OFF
431.525,0	OFF	OFF	ON	ON	ON	ON	OFF	ON	OFF	OFF
431.537,5	OFF	OFF	ON	ON	ON	OFF	OFF	ON	OFF	OFF
431.550,0	OFF	OFF	ON	ON	ON	ON	ON	OFF	OFF	OFF
431.562,5	OFF	OFF	ON	ON	ON	OFF	ON	OFF	OFF	OFF
431.575,0	OFF	OFF	ON	ON	ON	ON	OFF	OFF	OFF	OFF
431.587,5	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	OFF
431.600,0	ON	ON	OFF	ON	ON	ON	ON	ON	ON	ON
431.612,5	ON	ON	OFF	ON	ON	OFF	ON	ON	ON	ON
431.625,0	ON	ON	OFF	ON	ON	ON	OFF	ON	ON	ON
431.637,5	ON	ON	OFF	ON	ON	OFF	OFF	ON	ON	ON
431.650,0	ON	ON	OFF	ON	ON	ON	ON	OFF	ON	ON
431.662,5	ON	ON	OFF	ON	ON	OFF	ON	OFF	ON	ON
431.675,0	ON	ON	OFF	ON	ON	ON	OFF	OFF	ON	ON
431.687,5	ON	ON	OFF	ON	ON	OFF	OFF	OFF	ON	ON
431.700,0	ON	ON	OFF	ON	ON	ON	ON	ON	OFF	ON
431.712,5	ON	ON	OFF	ON	ON	OFF	ON	ON	OFF	ON
431.725,0	ON	ON	OFF	ON	ON	ON	OFF	ON	OFF	ON
431.737,5	ON	ON	OFF	ON	ON	OFF	OFF	ON	OFF	ON
431.750,0	ON	ON	OFF	ON	ON	ON	ON	OFF	OFF	ON
431.762,5	ON	ON	OFF	ON	ON	OFF	ON	OFF	OFF	ON
431.775,0	ON	ON	OFF	ON	ON	ON	OFF	OFF	OFF	ON
431.787,5	ON	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	ON
431.800,0	ON	ON	OFF	ON	ON	ON	ON	ON	ON	OFF
431.812,5	ON	ON	OFF	ON	ON	OFF	ON	ON	ON	OFF
431.825,0	ON	ON	OFF	ON	ON	ON	OFF	ON	ON	OFF
431.837,5	ON	ON	OFF	ON	ON	OFF	OFF	ON	ON	OFF
431.850,0	ON	ON	OFF	ON	ON	ON	ON	OFF	ON	OFF
431.862,5	ON	ON	OFF	ON	ON	OFF	ON	OFF	ON	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
431.875,0	ON	ON	OFF	ON	ON	ON	OFF	OFF	ON	OFF
431.887,5	ON	ON	OFF	ON	ON	OFF	OFF	OFF	ON	OFF
431.900,0	ON	ON	OFF	ON	ON	ON	ON	ON	OFF	OFF
431.912,5	ON	ON	OFF	ON	ON	OFF	ON	ON	OFF	OFF
431.925,0	ON	ON	OFF	ON	ON	ON	OFF	ON	OFF	OFF
431.937,5	ON	ON	OFF	ON	ON	OFF	OFF	ON	OFF	OFF
431.950,0	ON	ON	OFF	ON	ON	ON	ON	OFF	OFF	OFF
431.962,5	ON	ON	OFF	ON	ON	OFF	ON	OFF	OFF	OFF
431.975,0	ON	ON	OFF	ON	ON	ON	OFF	OFF	OFF	OFF
431.987,5	ON	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF
432.000,0	OFF	ON	OFF	ON	ON	ON	ON	ON	ON	ON
432.012,5	OFF	ON	OFF	ON	ON	OFF	ON	ON	ON	ON
432.025,0	OFF	ON	OFF	ON	ON	ON	OFF	ON	ON	ON
432.037,5	OFF	ON	OFF	ON	ON	OFF	OFF	ON	ON	ON
432.050,0	OFF	ON	OFF	ON	ON	ON	ON	OFF	ON	ON
432.062,5	OFF	ON	OFF	ON	ON	OFF	ON	OFF	ON	ON
432.075,0	OFF	ON	OFF	ON	ON	ON	OFF	OFF	ON	ON
432.087,5	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	ON	ON
432.100,0	OFF	ON	OFF	ON	ON	ON	ON	ON	OFF	ON
432.112,5	OFF	ON	OFF	ON	ON	OFF	ON	ON	OFF	ON
432.125,0	OFF	ON	OFF	ON	ON	ON	OFF	ON	OFF	ON
432.137,5	OFF	ON	OFF	ON	ON	OFF	OFF	ON	OFF	ON
432.150,0	OFF	ON	OFF	ON	ON	ON	ON	OFF	OFF	ON
432.162,5	OFF	ON	OFF	ON	ON	OFF	ON	OFF	OFF	ON
432.175,0	OFF	ON	OFF	ON	ON	ON	OFF	OFF	OFF	ON
432.187,5	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	ON
432.200,0	OFF	ON	OFF	ON	ON	ON	ON	ON	ON	OFF
432.212,5	OFF	ON	OFF	ON	ON	OFF	ON	ON	ON	OFF
432.225,0	OFF	ON	OFF	ON	ON	ON	OFF	ON	ON	OFF
432.237,5	OFF	ON	OFF	ON	ON	OFF	OFF	ON	ON	OFF
432.250,0	OFF	ON	OFF	ON	ON	ON	ON	OFF	ON	OFF
432.262,5	OFF	ON	OFF	ON	ON	OFF	ON	OFF	ON	OFF
432.275,0	OFF	ON	OFF	ON	ON	ON	OFF	OFF	ON	OFF
432.287,5	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	ON	OFF
432.300,0	OFF	ON	OFF	ON	ON	ON	ON	ON	OFF	OFF
432.312,5	OFF	ON	OFF	ON	ON	OFF	ON	ON	OFF	OFF
432.325,0	OFF	ON	OFF	ON	ON	ON	OFF	ON	OFF	OFF
432.337,5	OFF	ON	OFF	ON	ON	OFF	OFF	ON	OFF	OFF
432.350,0	OFF	ON	OFF	ON	ON	ON	ON	OFF	OFF	OFF
432.362,5	OFF	ON	OFF	ON	ON	OFF	ON	OFF	OFF	OFF
432.375,0	OFF	ON	OFF	ON	ON	ON	OFF	OFF	OFF	OFF
432.387,5	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF
432.400,0	ON	OFF	OFF	ON	ON	ON	ON	ON	ON	ON
432.412,5	ON	OFF	OFF	ON	ON	OFF	ON	ON	ON	ON
432.425,0	ON	OFF	OFF	ON	ON	ON	OFF	ON	ON	ON
432.437,5	ON	OFF	OFF	ON	ON	OFF	OFF	ON	ON	ON
432.450,0	ON	OFF	OFF	ON	ON	ON	ON	OFF	ON	ON
432.462,5	ON	OFF	OFF	ON	ON	OFF	ON	OFF	ON	ON
432.475,0	ON	OFF	OFF	ON	ON	ON	OFF	OFF	ON	ON
432.487,5	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
432.500,0	ON	OFF	OFF	ON	ON	ON	ON	ON	OFF	ON
432.512,5	ON	OFF	OFF	ON	ON	OFF	ON	ON	OFF	ON
432.525,0	ON	OFF	OFF	ON	ON	ON	OFF	ON	OFF	ON
432.537,5	ON	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	ON
432.550,0	ON	OFF	OFF	ON	ON	ON	ON	OFF	OFF	ON
432.562,5	ON	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	ON
432.575,0	ON	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	ON
432.587,5	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	ON
432.600,0	ON	OFF	OFF	ON	ON	ON	ON	ON	ON	OFF
432.612,5	ON	OFF	OFF	ON	ON	OFF	ON	ON	ON	OFF
432.625,0	ON	OFF	OFF	ON	ON	ON	OFF	ON	ON	OFF
432.637,5	ON	OFF	OFF	ON	ON	OFF	OFF	ON	ON	OFF
432.650,0	ON	OFF	OFF	ON	ON	ON	ON	OFF	ON	OFF
432.662,5	ON	OFF	OFF	ON	ON	OFF	ON	OFF	ON	OFF
432.675,0	ON	OFF	OFF	ON	ON	ON	OFF	OFF	ON	OFF
432.687,5	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	OFF
432.700,0	ON	OFF	OFF	ON	ON	ON	ON	ON	OFF	OFF
432.712,5	ON	OFF	OFF	ON	ON	OFF	ON	ON	OFF	OFF
432.725,0	ON	OFF	OFF	ON	ON	ON	OFF	ON	OFF	OFF
432.737,5	ON	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	OFF
432.750,0	ON	OFF	OFF	ON	ON	ON	ON	OFF	OFF	OFF
432.762,5	ON	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	OFF
432.775,0	ON	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	OFF
432.787,5	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF
432.800,0	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON	ON
432.812,5	OFF	OFF	OFF	ON	ON	OFF	ON	ON	ON	ON
432.825,0	OFF	OFF	OFF	ON	ON	ON	OFF	ON	ON	ON
432.837,5	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	ON	ON
432.850,0	OFF	OFF	OFF	ON	ON	ON	ON	OFF	ON	ON
432.862,5	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	ON	ON
432.875,0	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	ON	ON
432.887,5	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	ON
432.900,0	OFF	OFF	OFF	ON	ON	ON	ON	ON	OFF	ON
432.912,5	OFF	OFF	OFF	ON	ON	OFF	ON	ON	OFF	ON
432.925,0	OFF	OFF	OFF	ON	ON	ON	OFF	ON	OFF	ON
432.937,5	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	ON
432.950,0	OFF	OFF	OFF	ON	ON	ON	ON	OFF	OFF	ON
432.962,5	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	ON
432.975,0	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	ON
432.987,5	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	ON
433.000,0	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON	OFF
433.012,5	OFF	OFF	OFF	ON	ON	OFF	ON	ON	ON	OFF
433.025,0	OFF	OFF	OFF	ON	ON	ON	OFF	ON	ON	OFF
433.037,5	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	ON	OFF
433.050,0	OFF	OFF	OFF	ON	ON	ON	ON	OFF	ON	OFF
433.062,5	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	ON	OFF
433.075,0	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	ON	OFF
433.087,5	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	OFF
433.100,0	OFF	OFF	OFF	ON	ON	ON	ON	ON	OFF	OFF
433.112,5	OFF	OFF	OFF	ON	ON	OFF	ON	ON	OFF	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
433.125,0	OFF	OFF	OFF	ON	ON	ON	OFF	ON	OFF	OFF
433.137,5	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	OFF
433.150,0	OFF	OFF	OFF	ON	ON	ON	ON	OFF	OFF	OFF
433.162,5	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	OFF
433.175,0	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	OFF	OFF
433.187,5	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF
433.200,0	ON	ON	ON	OFF	ON	ON	ON	ON	ON	ON
433.212,5	ON	ON	ON	OFF	ON	OFF	ON	ON	ON	ON
433.225,0	ON	ON	ON	OFF	ON	ON	OFF	ON	ON	ON
433.237,5	ON	ON	ON	OFF	ON	OFF	OFF	ON	ON	ON
433.250,0	ON	ON	ON	OFF	ON	ON	ON	OFF	ON	ON
433.262,5	ON	ON	ON	OFF	ON	OFF	ON	OFF	ON	ON
433.275,0	ON	ON	ON	OFF	ON	ON	OFF	OFF	ON	ON
433.287,5	ON	ON	ON	OFF	ON	OFF	OFF	OFF	ON	ON
433.300,0	ON	ON	ON	OFF	ON	ON	ON	ON	OFF	ON
433.312,5	ON	ON	ON	OFF	ON	OFF	ON	ON	OFF	ON
433.325,0	ON	ON	ON	OFF	ON	ON	OFF	ON	OFF	ON
433.337,5	ON	ON	ON	OFF	ON	OFF	OFF	ON	OFF	ON
433.350,0	ON	ON	ON	OFF	ON	ON	ON	OFF	OFF	ON
433.362,5	ON	ON	ON	OFF	ON	OFF	ON	OFF	OFF	ON
433.375,0	ON	ON	ON	OFF	ON	ON	OFF	OFF	OFF	ON
433.387,5	ON	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	ON
433.400,0	ON	ON	ON	OFF	ON	ON	ON	ON	ON	OFF
433.412,5	ON	ON	ON	OFF	ON	OFF	ON	ON	ON	OFF
433.425,0	ON	ON	ON	OFF	ON	ON	OFF	ON	ON	OFF
433.437,5	ON	ON	ON	OFF	ON	OFF	OFF	ON	ON	OFF
433.450,0	ON	ON	ON	OFF	ON	ON	ON	OFF	ON	OFF
433.462,5	ON	ON	ON	OFF	ON	OFF	ON	OFF	ON	OFF
433.475,0	ON	ON	ON	OFF	ON	ON	OFF	OFF	ON	OFF
433.487,5	ON	ON	ON	OFF	ON	OFF	OFF	OFF	ON	OFF
433.500,0	ON	ON	ON	OFF	ON	ON	ON	ON	OFF	OFF
433.512,5	ON	ON	ON	OFF	ON	OFF	ON	ON	OFF	OFF
433.525,0	ON	ON	ON	OFF	ON	ON	OFF	ON	OFF	OFF
433.537,5	ON	ON	ON	OFF	ON	OFF	OFF	ON	OFF	OFF
433.550,0	ON	ON	ON	OFF	ON	ON	ON	OFF	OFF	OFF
433.562,5	ON	ON	ON	OFF	ON	OFF	ON	OFF	OFF	OFF
433.575,0	ON	ON	ON	OFF	ON	ON	OFF	OFF	OFF	OFF
433.587,5	ON	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF
433.600,0	OFF	ON	ON	OFF	ON	ON	ON	ON	ON	ON
433.612,5	OFF	ON	ON	OFF	ON	OFF	ON	ON	ON	ON
433.625,0	OFF	ON	ON	OFF	ON	ON	OFF	ON	ON	ON
433.637,5	OFF	ON	ON	OFF	ON	OFF	OFF	ON	ON	ON
433.650,0	OFF	ON	ON	OFF	ON	ON	ON	OFF	ON	ON
433.662,5	OFF	ON	ON	OFF	ON	OFF	ON	OFF	ON	ON
433.675,0	OFF	ON	ON	OFF	ON	ON	OFF	OFF	ON	ON
433.687,5	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	ON	ON
433.700,0	OFF	ON	ON	OFF	ON	ON	ON	ON	OFF	ON
433.712,5	OFF	ON	ON	OFF	ON	OFF	ON	ON	OFF	ON
433.725,0	OFF	ON	ON	OFF	ON	ON	OFF	ON	OFF	ON
433.737,5	OFF	ON	ON	OFF	ON	OFF	OFF	ON	OFF	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
433.750,0	OFF	ON	ON	OFF	ON	ON	ON	OFF	OFF	ON
433.762,5	OFF	ON	ON	OFF	ON	OFF	ON	OFF	OFF	ON
433.775,0	OFF	ON	ON	OFF	ON	ON	OFF	OFF	OFF	ON
433.787,5	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	ON
433.800,0	OFF	ON	ON	OFF	ON	ON	ON	ON	ON	OFF
433.812,5	OFF	ON	ON	OFF	ON	OFF	ON	ON	ON	OFF
433.825,0	OFF	ON	ON	OFF	ON	ON	OFF	ON	ON	OFF
433.837,5	OFF	ON	ON	OFF	ON	OFF	OFF	ON	ON	OFF
433.850,0	OFF	ON	ON	OFF	ON	ON	ON	OFF	ON	OFF
433.862,5	OFF	ON	ON	OFF	ON	OFF	ON	OFF	ON	OFF
433.875,0	OFF	ON	ON	OFF	ON	ON	OFF	OFF	ON	OFF
433.887,5	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	ON	OFF
433.900,0	OFF	ON	ON	OFF	ON	ON	ON	ON	OFF	OFF
433.912,5	OFF	ON	ON	OFF	ON	OFF	ON	ON	OFF	OFF
433.925,0	OFF	ON	ON	OFF	ON	ON	OFF	ON	OFF	OFF
433.937,5	OFF	ON	ON	OFF	ON	OFF	OFF	ON	OFF	OFF
433.950,0	OFF	ON	ON	OFF	ON	ON	ON	OFF	OFF	OFF
433.962,5	OFF	ON	ON	OFF	ON	OFF	ON	OFF	OFF	OFF
433.975,0	OFF	ON	ON	OFF	ON	ON	OFF	OFF	OFF	OFF
433.987,5	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF
434.000,0	ON	OFF	ON	OFF	ON	ON	ON	ON	ON	ON
434.012,5	ON	OFF	ON	OFF	ON	OFF	ON	ON	ON	ON
434.025,0	ON	OFF	ON	OFF	ON	ON	OFF	ON	ON	ON
434.037,5	ON	OFF	ON	OFF	ON	OFF	OFF	ON	ON	ON
434.050,0	ON	OFF	ON	OFF	ON	ON	ON	OFF	ON	ON
434.062,5	ON	OFF	ON	OFF	ON	OFF	ON	OFF	ON	ON
434.075,0	ON	OFF	ON	OFF	ON	ON	OFF	OFF	ON	ON
434.087,5	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	ON
434.100,0	ON	OFF	ON	OFF	ON	ON	ON	ON	OFF	ON
434.112,5	ON	OFF	ON	OFF	ON	OFF	ON	ON	OFF	ON
434.125,0	ON	OFF	ON	OFF	ON	ON	OFF	ON	OFF	ON
434.137,5	ON	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	ON
434.150,0	ON	OFF	ON	OFF	ON	ON	ON	OFF	OFF	ON
434.162,5	ON	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	ON
434.175,0	ON	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	ON
434.187,5	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	ON
434.200,0	ON	OFF	ON	OFF	ON	ON	ON	ON	ON	OFF
434.212,5	ON	OFF	ON	OFF	ON	OFF	ON	ON	ON	OFF
434.225,0	ON	OFF	ON	OFF	ON	ON	OFF	ON	ON	OFF
434.237,5	ON	OFF	ON	OFF	ON	OFF	OFF	ON	ON	OFF
434.250,0	ON	OFF	ON	OFF	ON	ON	ON	OFF	ON	OFF
434.262,5	ON	OFF	ON	OFF	ON	OFF	ON	OFF	ON	OFF
434.275,0	ON	OFF	ON	OFF	ON	ON	OFF	OFF	ON	OFF
434.287,5	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	OFF
434.300,0	ON	OFF	ON	OFF	ON	ON	ON	ON	OFF	OFF
434.312,5	ON	OFF	ON	OFF	ON	OFF	ON	ON	OFF	OFF
434.325,0	ON	OFF	ON	OFF	ON	ON	OFF	ON	OFF	OFF
434.337,5	ON	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	OFF
434.350,0	ON	OFF	ON	OFF	ON	ON	ON	OFF	OFF	OFF
434.362,5	ON	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
434.375,0	ON	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	OFF
434.387,5	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF
434.400,0	OFF	OFF	ON	OFF	ON	ON	ON	ON	ON	ON
434.412,5	OFF	OFF	ON	OFF	ON	OFF	ON	ON	ON	ON
434.425,0	OFF	OFF	ON	OFF	ON	ON	OFF	ON	ON	ON
434.437,5	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	ON	ON
434.450,0	OFF	OFF	ON	OFF	ON	ON	ON	OFF	ON	ON
434.462,5	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	ON	ON
434.475,0	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	ON	ON
434.487,5	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	ON
434.500,0	OFF	OFF	ON	OFF	ON	ON	ON	ON	OFF	ON
434.512,5	OFF	OFF	ON	OFF	ON	OFF	ON	ON	OFF	ON
434.525,0	OFF	OFF	ON	OFF	ON	ON	OFF	ON	OFF	ON
434.537,5	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	ON
434.550,0	OFF	OFF	ON	OFF	ON	ON	ON	OFF	OFF	ON
434.562,5	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	ON
434.575,0	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	ON
434.587,5	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	ON
434.600,0	OFF	OFF	ON	OFF	ON	ON	ON	ON	ON	OFF
434.612,5	OFF	OFF	ON	OFF	ON	OFF	ON	ON	ON	OFF
434.625,0	OFF	OFF	ON	OFF	ON	ON	OFF	ON	ON	OFF
434.637,5	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	ON	OFF
434.650,0	OFF	OFF	ON	OFF	ON	ON	ON	OFF	ON	OFF
434.662,5	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	ON	OFF
434.675,0	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	ON	OFF
434.687,5	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	OFF
434.700,0	OFF	OFF	ON	OFF	ON	ON	ON	ON	OFF	OFF
434.712,5	OFF	OFF	ON	OFF	ON	OFF	ON	ON	OFF	OFF
434.725,0	OFF	OFF	ON	OFF	ON	ON	OFF	ON	OFF	OFF
434.737,5	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	OFF
434.750,0	OFF	OFF	ON	OFF	ON	ON	ON	OFF	OFF	OFF
434.762,5	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	OFF
434.775,0	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	OFF	OFF
434.787,5	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF
434.800,0	ON	ON	OFF	OFF	ON	ON	ON	ON	ON	ON
434.812,5	ON	ON	OFF	OFF	ON	OFF	ON	ON	ON	ON
434.825,0	ON	ON	OFF	OFF	ON	ON	OFF	ON	ON	ON
434.837,5	ON	ON	OFF	OFF	ON	OFF	OFF	ON	ON	ON
434.850,0	ON	ON	OFF	OFF	ON	ON	ON	OFF	ON	ON
434.862,5	ON	ON	OFF	OFF	ON	OFF	ON	OFF	ON	ON
434.875,0	ON	ON	OFF	OFF	ON	ON	OFF	OFF	ON	ON
434.887,5	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	ON
434.900,0	ON	ON	OFF	OFF	ON	ON	ON	ON	OFF	ON
434.912,5	ON	ON	OFF	OFF	ON	OFF	ON	ON	OFF	ON
434.925,0	ON	ON	OFF	OFF	ON	ON	OFF	ON	OFF	ON
434.937,5	ON	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	ON
434.950,0	ON	ON	OFF	OFF	ON	ON	ON	OFF	OFF	ON
434.962,5	ON	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	ON
434.975,0	ON	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	ON
434.987,5	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON



# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
435.000,0	ON	ON	OFF	OFF	ON	ON	ON	ON	ON	OFF
435.012,5	ON	ON	OFF	OFF	ON	OFF	ON	ON	ON	OFF
435.025,0	ON	ON	OFF	OFF	ON	ON	OFF	ON	ON	OFF
435.037,5	ON	ON	OFF	OFF	ON	OFF	OFF	ON	ON	OFF
435.050,0	ON	ON	OFF	OFF	ON	ON	ON	OFF	ON	OFF
435.062,5	ON	ON	OFF	OFF	ON	OFF	ON	OFF	ON	OFF
435.075,0	ON	ON	OFF	OFF	ON	ON	OFF	OFF	ON	OFF
435.087,5	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF
435.100,0	ON	ON	OFF	OFF	ON	ON	ON	ON	OFF	OFF
435.112,5	ON	ON	OFF	OFF	ON	OFF	ON	ON	OFF	OFF
435.125,0	ON	ON	OFF	OFF	ON	ON	OFF	ON	OFF	OFF
435.137,5	ON	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF
435.150,0	ON	ON	OFF	OFF	ON	ON	ON	OFF	OFF	OFF
435.162,5	ON	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF
435.175,0	ON	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF
435.187,5	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF
435.200,0	OFF	ON	OFF	OFF	ON	ON	ON	ON	ON	ON
435.212,5	OFF	ON	OFF	OFF	ON	OFF	ON	ON	ON	ON
435.225,0	OFF	ON	OFF	OFF	ON	ON	OFF	ON	ON	ON
435.237,5	OFF	ON	OFF	OFF	ON	OFF	OFF	ON	ON	ON
435.250,0	OFF	ON	OFF	OFF	ON	ON	ON	OFF	ON	ON
435.262,5	OFF	ON	OFF	OFF	ON	OFF	ON	OFF	ON	ON
435.275,0	OFF	ON	OFF	OFF	ON	ON	OFF	OFF	ON	ON
435.287,5	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	ON
435.300,0	OFF	ON	OFF	OFF	ON	ON	ON	ON	OFF	ON
435.312,5	OFF	ON	OFF	OFF	ON	OFF	ON	ON	OFF	ON
435.325,0	OFF	ON	OFF	OFF	ON	ON	OFF	ON	OFF	ON
435.337,5	OFF	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	ON
435.350,0	OFF	ON	OFF	OFF	ON	ON	ON	OFF	OFF	ON
435.362,5	OFF	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	ON
435.375,0	OFF	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	ON
435.387,5	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON
435.400,0	OFF	ON	OFF	OFF	ON	ON	ON	ON	ON	OFF
435.412,5	OFF	ON	OFF	OFF	ON	OFF	ON	ON	ON	OFF
435.425,0	OFF	ON	OFF	OFF	ON	ON	OFF	ON	ON	OFF
435.437,5	OFF	ON	OFF	OFF	ON	OFF	OFF	ON	ON	OFF
435.450,0	OFF	ON	OFF	OFF	ON	ON	ON	OFF	ON	OFF
435.462,5	OFF	ON	OFF	OFF	ON	OFF	ON	OFF	ON	OFF
435.475,0	OFF	ON	OFF	OFF	ON	ON	OFF	OFF	ON	OFF
435.487,5	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF
435.500,0	OFF	ON	OFF	OFF	ON	ON	ON	ON	OFF	OFF
435.512,5	OFF	ON	OFF	OFF	ON	OFF	ON	ON	OFF	OFF
435.525,0	OFF	ON	OFF	OFF	ON	ON	OFF	ON	OFF	OFF
435.537,5	OFF	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF
435.550,0	OFF	ON	OFF	OFF	ON	ON	ON	OFF	OFF	OFF
435.562,5	OFF	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF
435.575,0	OFF	ON	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF
435.587,5	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF
435.600,0	ON	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON
435.612,5	ON	OFF	OFF	OFF	ON	OFF	ON	ON	ON	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
435.625,0	ON	OFF	OFF	OFF	ON	ON	OFF	ON	ON	ON
435.637,5	ON	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	ON
435.650,0	ON	OFF	OFF	OFF	ON	ON	ON	OFF	ON	ON
435.662,5	ON	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	ON
435.675,0	ON	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	ON
435.687,5	ON	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	ON
435.700,0	ON	OFF	OFF	OFF	ON	ON	ON	ON	OFF	ON
435.712,5	ON	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	ON
435.725,0	ON	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	ON
435.737,5	ON	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	ON
435.750,0	ON	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	ON
435.762,5	ON	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	ON
435.775,0	ON	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	ON
435.787,5	ON	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON
435.800,0	ON	OFF	OFF	OFF	ON	ON	ON	ON	ON	OFF
435.812,5	ON	OFF	OFF	OFF	ON	OFF	ON	ON	ON	OFF
435.825,0	ON	OFF	OFF	OFF	ON	ON	OFF	ON	ON	OFF
435.837,5	ON	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	OFF
435.850,0	ON	OFF	OFF	OFF	ON	ON	ON	OFF	ON	OFF
435.862,5	ON	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	OFF
435.875,0	ON	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	OFF
435.887,5	ON	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF
435.900,0	ON	OFF	OFF	OFF	ON	ON	ON	ON	OFF	OFF
435.912,5	ON	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	OFF
435.925,0	ON	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	OFF
435.937,5	ON	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF
435.950,0	ON	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	OFF
435.962,5	ON	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF
435.975,0	ON	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF
435.987,5	ON	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF
436.000,0	OFF	OFF	OFF	OFF	ON	ON	ON	ON	ON	ON
436.012,5	OFF	OFF	OFF	OFF	ON	OFF	ON	ON	ON	ON
436.025,0	OFF	OFF	OFF	OFF	ON	ON	OFF	ON	ON	ON
436.037,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	ON
436.050,0	OFF	OFF	OFF	OFF	ON	ON	ON	OFF	ON	ON
436.062,5	OFF	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	ON
436.075,0	OFF	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	ON
436.087,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	ON
436.100,0	OFF	OFF	OFF	OFF	ON	ON	ON	ON	OFF	ON
436.112,5	OFF	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	ON
436.125,0	OFF	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	ON
436.137,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	ON
436.150,0	OFF	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	ON
436.162,5	OFF	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	ON
436.175,0	OFF	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	ON
436.187,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON
436.200,0	OFF	OFF	OFF	OFF	ON	ON	ON	ON	ON	OFF
436.212,5	OFF	OFF	OFF	OFF	ON	OFF	ON	ON	ON	OFF
436.225,0	OFF	OFF	OFF	OFF	ON	ON	OFF	ON	ON	OFF
436.237,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
436.250,0	OFF	OFF	OFF	OFF	ON	ON	ON	OFF	ON	OFF
436.262,5	OFF	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	OFF
436.275,0	OFF	OFF	OFF	OFF	ON	ON	OFF	OFF	ON	OFF
436.287,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF
436.300,0	OFF	OFF	OFF	OFF	ON	ON	ON	ON	OFF	OFF
436.312,5	OFF	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	OFF
436.325,0	OFF	OFF	OFF	OFF	ON	ON	OFF	ON	OFF	OFF
436.337,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF
436.350,0	OFF	OFF	OFF	OFF	ON	ON	ON	OFF	OFF	OFF
436.362,5	OFF	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF
436.375,0	OFF	OFF	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF
436.387,5	OFF	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF
436.400,0	ON	ON	ON	ON	OFF	ON	ON	ON	ON	ON
436.412,5	ON	ON	ON	ON	OFF	OFF	ON	ON	ON	ON
436.425,0	ON	ON	ON	ON	OFF	ON	OFF	ON	ON	ON
436.437,5	ON	ON	ON	ON	OFF	OFF	OFF	ON	ON	ON
436.450,0	ON	ON	ON	ON	OFF	ON	ON	OFF	ON	ON
436.462,5	ON	ON	ON	ON	OFF	OFF	ON	OFF	ON	ON
436.475,0	ON	ON	ON	ON	OFF	ON	OFF	OFF	ON	ON
436.487,5	ON	ON	ON	ON	OFF	OFF	OFF	OFF	ON	ON
436.500,0	ON	ON	ON	ON	OFF	ON	ON	ON	OFF	ON
436.512,5	ON	ON	ON	ON	OFF	OFF	ON	ON	OFF	ON
436.525,0	ON	ON	ON	ON	OFF	ON	OFF	ON	OFF	ON
436.537,5	ON	ON	ON	ON	OFF	OFF	OFF	ON	OFF	ON
436.550,0	ON	ON	ON	ON	OFF	ON	ON	OFF	OFF	ON
436.562,5	ON	ON	ON	ON	OFF	OFF	ON	OFF	OFF	ON
436.575,0	ON	ON	ON	ON	OFF	ON	OFF	OFF	OFF	ON
436.587,5	ON	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	ON
436.600,0	ON	ON	ON	ON	OFF	ON	ON	ON	ON	OFF
436.612,5	ON	ON	ON	ON	OFF	OFF	ON	ON	ON	OFF
436.625,0	ON	ON	ON	ON	OFF	ON	OFF	ON	ON	OFF
436.637,5	ON	ON	ON	ON	OFF	OFF	OFF	ON	ON	OFF
436.650,0	ON	ON	ON	ON	OFF	ON	ON	OFF	ON	OFF
436.662,5	ON	ON	ON	ON	OFF	OFF	ON	OFF	ON	OFF
436.675,0	ON	ON	ON	ON	OFF	ON	OFF	OFF	ON	OFF
436.687,5	ON	ON	ON	ON	OFF	OFF	OFF	OFF	ON	OFF
436.700,0	ON	ON	ON	ON	OFF	ON	ON	ON	OFF	OFF
436.712,5	ON	ON	ON	ON	OFF	OFF	ON	ON	OFF	OFF
436.725,0	ON	ON	ON	ON	OFF	ON	OFF	ON	OFF	OFF
436.737,5	ON	ON	ON	ON	OFF	OFF	OFF	ON	OFF	OFF
436.750,0	ON	ON	ON	ON	OFF	ON	ON	OFF	OFF	OFF
436.762,5	ON	ON	ON	ON	OFF	OFF	ON	OFF	OFF	OFF
436.775,0	ON	ON	ON	ON	OFF	ON	OFF	OFF	OFF	OFF
436.787,5	ON	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF
436.800,0	OFF	ON	ON	ON	OFF	ON	ON	ON	ON	ON
436.812,5	OFF	ON	ON	ON	OFF	OFF	ON	ON	ON	ON
436.825,0	OFF	ON	ON	ON	OFF	ON	OFF	ON	ON	ON
436.837,5	OFF	ON	ON	ON	OFF	OFF	OFF	ON	ON	ON
436.850,0	OFF	ON	ON	ON	OFF	ON	ON	OFF	ON	ON
436.862,5	OFF	ON	ON	ON	OFF	OFF	ON	OFF	ON	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
436.875,0	OFF	ON	ON	ON	OFF	ON	OFF	OFF	ON	ON
436.887,5	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	ON	ON
436.900,0	OFF	ON	ON	ON	OFF	ON	ON	ON	OFF	ON
436.912,5	OFF	ON	ON	ON	OFF	OFF	ON	ON	OFF	ON
436.925,0	OFF	ON	ON	ON	OFF	ON	OFF	ON	OFF	ON
436.937,5	OFF	ON	ON	ON	OFF	OFF	OFF	ON	OFF	ON
436.950,0	OFF	ON	ON	ON	OFF	ON	ON	OFF	OFF	ON
436.962,5	OFF	ON	ON	ON	OFF	OFF	ON	OFF	OFF	ON
436.975,0	OFF	ON	ON	ON	OFF	ON	OFF	OFF	OFF	ON
436.987,5	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	ON
437.000,0	OFF	ON	ON	ON	OFF	ON	ON	ON	ON	OFF
437.012,5	OFF	ON	ON	ON	OFF	OFF	ON	ON	ON	OFF
437.025,0	OFF	ON	ON	ON	OFF	ON	OFF	ON	ON	OFF
437.037,5	OFF	ON	ON	ON	OFF	OFF	OFF	ON	ON	OFF
437.050,0	OFF	ON	ON	ON	OFF	ON	ON	OFF	ON	OFF
437.062,5	OFF	ON	ON	ON	OFF	OFF	ON	OFF	ON	OFF
437.075,0	OFF	ON	ON	ON	OFF	ON	OFF	OFF	ON	OFF
437.087,5	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	ON	OFF
437.100,0	OFF	ON	ON	ON	OFF	ON	ON	ON	OFF	OFF
437.112,5	OFF	ON	ON	ON	OFF	OFF	ON	ON	OFF	OFF
437.125,0	OFF	ON	ON	ON	OFF	ON	OFF	ON	OFF	OFF
437.137,5	OFF	ON	ON	ON	OFF	OFF	OFF	ON	OFF	OFF
437.150,0	OFF	ON	ON	ON	OFF	ON	ON	OFF	OFF	OFF
437.162,5	OFF	ON	ON	ON	OFF	OFF	ON	OFF	OFF	OFF
437.175,0	OFF	ON	ON	ON	OFF	ON	OFF	OFF	OFF	OFF
437.187,5	OFF	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF
437.200,0	ON	OFF	ON	ON	OFF	ON	ON	ON	ON	ON
437.212,5	ON	OFF	ON	ON	OFF	OFF	ON	ON	ON	ON
437.225,0	ON	OFF	ON	ON	OFF	ON	OFF	ON	ON	ON
437.237,5	ON	OFF	ON	ON	OFF	OFF	OFF	ON	ON	ON
437.250,0	ON	OFF	ON	ON	OFF	ON	ON	OFF	ON	ON
437.262,5	ON	OFF	ON	ON	OFF	OFF	ON	OFF	ON	ON
437.275,0	ON	OFF	ON	ON	OFF	ON	OFF	OFF	ON	ON
437.287,5	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	ON	ON
437.300,0	ON	OFF	ON	ON	OFF	ON	ON	ON	OFF	ON
437.312,5	ON	OFF	ON	ON	OFF	OFF	ON	ON	OFF	ON
437.325,0	ON	OFF	ON	ON	OFF	ON	OFF	ON	OFF	ON
437.337,5	ON	OFF	ON	ON	OFF	OFF	OFF	ON	OFF	ON
437.350,0	ON	OFF	ON	ON	OFF	ON	ON	OFF	OFF	ON
437.362,5	ON	OFF	ON	ON	OFF	OFF	ON	OFF	OFF	ON
437.375,0	ON	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	ON
437.387,5	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF	ON
437.400,0	ON	OFF	ON	ON	OFF	ON	ON	ON	ON	OFF
437.412,5	ON	OFF	ON	ON	OFF	OFF	ON	ON	ON	OFF
437.425,0	ON	OFF	ON	ON	OFF	ON	OFF	ON	ON	OFF
437.437,5	ON	OFF	ON	ON	OFF	OFF	OFF	ON	ON	OFF
437.450,0	ON	OFF	ON	ON	OFF	ON	ON	OFF	ON	OFF
437.462,5	ON	OFF	ON	ON	OFF	OFF	ON	OFF	ON	OFF
437.475,0	ON	OFF	ON	ON	OFF	ON	OFF	OFF	ON	OFF
437.487,5	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	ON	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
437.500,0	ON	OFF	ON	ON	OFF	ON	ON	ON	OFF	OFF
437.512,5	ON	OFF	ON	ON	OFF	OFF	ON	ON	OFF	OFF
437.525,0	ON	OFF	ON	ON	OFF	ON	OFF	ON	OFF	OFF
437.537,5	ON	OFF	ON	ON	OFF	OFF	OFF	ON	OFF	OFF
437.550,0	ON	OFF	ON	ON	OFF	ON	ON	OFF	OFF	OFF
437.562,5	ON	OFF	ON	ON	OFF	OFF	ON	OFF	OFF	OFF
437.575,0	ON	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	OFF
437.587,5	ON	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF
437.600,0	OFF	OFF	ON	ON	OFF	ON	ON	ON	ON	ON
437.612,5	OFF	OFF	ON	ON	OFF	OFF	ON	ON	ON	ON
437.625,0	OFF	OFF	ON	ON	OFF	ON	OFF	ON	ON	ON
437.637,5	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	ON	ON
437.650,0	OFF	OFF	ON	ON	OFF	ON	ON	OFF	ON	ON
437.662,5	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	ON	ON
437.675,0	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	ON	ON
437.687,5	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	ON	ON
437.700,0	OFF	OFF	ON	ON	OFF	ON	ON	ON	OFF	ON
437.712,5	OFF	OFF	ON	ON	OFF	OFF	ON	ON	OFF	ON
437.725,0	OFF	OFF	ON	ON	OFF	ON	OFF	ON	OFF	ON
437.737,5	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	OFF	ON
437.750,0	OFF	OFF	ON	ON	OFF	ON	ON	OFF	OFF	ON
437.762,5	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	OFF	ON
437.775,0	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	ON
437.787,5	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF	ON
437.800,0	OFF	OFF	ON	ON	OFF	ON	ON	ON	ON	OFF
437.812,5	OFF	OFF	ON	ON	OFF	OFF	ON	ON	ON	OFF
437.825,0	OFF	OFF	ON	ON	OFF	ON	OFF	ON	ON	OFF
437.837,5	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	ON	OFF
437.850,0	OFF	OFF	ON	ON	OFF	ON	ON	OFF	ON	OFF
437.862,5	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	ON	OFF
437.875,0	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	ON	OFF
437.887,5	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	ON	OFF
437.900,0	OFF	OFF	ON	ON	OFF	ON	ON	ON	OFF	OFF
437.912,5	OFF	OFF	ON	ON	OFF	OFF	ON	ON	OFF	OFF
437.925,0	OFF	OFF	ON	ON	OFF	ON	OFF	ON	OFF	OFF
437.937,5	OFF	OFF	ON	ON	OFF	OFF	OFF	ON	OFF	OFF
437.950,0	OFF	OFF	ON	ON	OFF	ON	ON	OFF	OFF	OFF
437.962,5	OFF	OFF	ON	ON	OFF	OFF	ON	OFF	OFF	OFF
437.975,0	OFF	OFF	ON	ON	OFF	ON	OFF	OFF	OFF	OFF
437.987,5	OFF	OFF	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF
438.000,0	ON	ON	OFF	ON	OFF	ON	ON	ON	ON	ON
438.012,5	ON	ON	OFF	ON	OFF	OFF	ON	ON	ON	ON
438.025,0	ON	ON	OFF	ON	OFF	ON	OFF	ON	ON	ON
438.037,5	ON	ON	OFF	ON	OFF	OFF	OFF	ON	ON	ON
438.050,0	ON	ON	OFF	ON	OFF	ON	ON	OFF	ON	ON
438.062,5	ON	ON	OFF	ON	OFF	OFF	ON	OFF	ON	ON
438.075,0	ON	ON	OFF	ON	OFF	ON	OFF	OFF	ON	ON
438.087,5	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	ON	ON
438.100,0	ON	ON	OFF	ON	OFF	ON	ON	ON	OFF	ON
438.112,5	ON	ON	OFF	ON	OFF	OFF	ON	ON	OFF	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
438.125,0	ON	ON	OFF	ON	OFF	ON	OFF	ON	OFF	ON
438.137,5	ON	ON	OFF	ON	OFF	OFF	OFF	ON	OFF	ON
438.150,0	ON	ON	OFF	ON	OFF	ON	ON	OFF	OFF	ON
438.162,5	ON	ON	OFF	ON	OFF	OFF	ON	OFF	OFF	ON
438.175,0	ON	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	ON
438.187,5	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF	ON
438.200,0	ON	ON	OFF	ON	OFF	ON	ON	ON	ON	OFF
438.212,5	ON	ON	OFF	ON	OFF	OFF	ON	ON	ON	OFF
438.225,0	ON	ON	OFF	ON	OFF	ON	OFF	ON	ON	OFF
438.237,5	ON	ON	OFF	ON	OFF	OFF	OFF	ON	ON	OFF
438.250,0	ON	ON	OFF	ON	OFF	ON	ON	OFF	ON	OFF
438.262,5	ON	ON	OFF	ON	OFF	OFF	ON	OFF	ON	OFF
438.275,0	ON	ON	OFF	ON	OFF	ON	OFF	OFF	ON	OFF
438.287,5	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	ON	OFF
438.300,0	ON	ON	OFF	ON	OFF	ON	ON	ON	OFF	OFF
438.312,5	ON	ON	OFF	ON	OFF	OFF	ON	ON	OFF	OFF
438.325,0	ON	ON	OFF	ON	OFF	ON	OFF	ON	OFF	OFF
438.337,5	ON	ON	OFF	ON	OFF	OFF	OFF	ON	OFF	OFF
438.350,0	ON	ON	OFF	ON	OFF	ON	ON	OFF	OFF	OFF
438.362,5	ON	ON	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF
438.375,0	ON	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF
438.387,5	ON	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF	OFF
438.400,0	OFF	ON	OFF	ON	OFF	ON	ON	ON	ON	ON
438.412,5	OFF	ON	OFF	ON	OFF	OFF	ON	ON	ON	ON
438.425,0	OFF	ON	OFF	ON	OFF	ON	OFF	ON	ON	ON
438.437,5	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	ON	ON
438.450,0	OFF	ON	OFF	ON	OFF	ON	ON	OFF	ON	ON
438.462,5	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	ON	ON
438.475,0	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	ON	ON
438.487,5	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	ON	ON
438.500,0	OFF	ON	OFF	ON	OFF	ON	ON	ON	OFF	ON
438.512,5	OFF	ON	OFF	ON	OFF	OFF	ON	ON	OFF	ON
438.525,0	OFF	ON	OFF	ON	OFF	ON	OFF	ON	OFF	ON
438.537,5	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	OFF	ON
438.550,0	OFF	ON	OFF	ON	OFF	ON	ON	OFF	OFF	ON
438.562,5	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	OFF	ON
438.575,0	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	ON
438.587,5	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF	ON
438.600,0	OFF	ON	OFF	ON	OFF	ON	ON	ON	ON	OFF
438.612,5	OFF	ON	OFF	ON	OFF	OFF	ON	ON	ON	OFF
438.625,0	OFF	ON	OFF	ON	OFF	ON	OFF	ON	ON	OFF
438.637,5	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	ON	OFF
438.650,0	OFF	ON	OFF	ON	OFF	ON	ON	OFF	ON	OFF
438.662,5	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	ON	OFF
438.675,0	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	ON	OFF
438.687,5	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	ON	OFF
438.700,0	OFF	ON	OFF	ON	OFF	ON	ON	ON	OFF	OFF
438.712,5	OFF	ON	OFF	ON	OFF	OFF	ON	ON	OFF	OFF
438.725,0	OFF	ON	OFF	ON	OFF	ON	OFF	ON	OFF	OFF
438.737,5	OFF	ON	OFF	ON	OFF	OFF	OFF	ON	OFF	OFF

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
438.750,0	OFF	ON	OFF	ON	OFF	ON	ON	OFF	OFF	OFF
438.762,5	OFF	ON	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF
438.775,0	OFF	ON	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF
438.787,5	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF	OFF	OFF
438.800,0	ON	OFF	OFF	ON	OFF	ON	ON	ON	ON	ON
438.812,5	ON	OFF	OFF	ON	OFF	OFF	ON	ON	ON	ON
438.825,0	ON	OFF	OFF	ON	OFF	ON	OFF	ON	ON	ON
438.837,5	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	ON	ON
438.850,0	ON	OFF	OFF	ON	OFF	ON	ON	OFF	ON	ON
438.862,5	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	ON	ON
438.875,0	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	ON
438.887,5	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON	ON
438.900,0	ON	OFF	OFF	ON	OFF	ON	ON	ON	OFF	ON
438.912,5	ON	OFF	OFF	ON	OFF	OFF	ON	ON	OFF	ON
438.925,0	ON	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	ON
438.937,5	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF	ON
438.950,0	ON	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	ON
438.962,5	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF	ON
438.975,0	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	ON
438.987,5	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF	ON
439.000,0	ON	OFF	OFF	ON	OFF	ON	ON	ON	ON	OFF
439.012,5	ON	OFF	OFF	ON	OFF	OFF	ON	ON	ON	OFF
439.025,0	ON	OFF	OFF	ON	OFF	ON	OFF	ON	ON	OFF
439.037,5	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	ON	OFF
439.050,0	ON	OFF	OFF	ON	OFF	ON	ON	OFF	ON	OFF
439.062,5	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	ON	OFF
439.075,0	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	OFF
439.087,5	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON	OFF
439.100,0	ON	OFF	OFF	ON	OFF	ON	ON	ON	OFF	OFF
439.112,5	ON	OFF	OFF	ON	OFF	OFF	ON	ON	OFF	OFF
439.125,0	ON	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	OFF
439.137,5	ON	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF	OFF
439.150,0	ON	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	OFF
439.162,5	ON	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF
439.175,0	ON	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF
439.187,5	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF	OFF
439.200,0	OFF	OFF	OFF	ON	OFF	ON	ON	ON	ON	ON
439.212,5	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	ON	ON
439.225,0	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	ON	ON
439.237,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	ON	ON
439.250,0	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	ON	ON
439.262,5	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	ON	ON
439.275,0	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	ON
439.287,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON	ON
439.300,0	OFF	OFF	OFF	ON	OFF	ON	ON	ON	OFF	ON
439.312,5	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	OFF	ON
439.325,0	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	ON
439.337,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF	ON
439.350,0	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	ON
439.362,5	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF	ON

# Frequentie-instellingen voor packet

# Nokia Mobira ATF2

Zet bij aanvang alle sckakelelaars van de dipswitch op "ON"

FREQUENTIE [kHz]	Eerste (groene) en derde (rode) cyclus dipswitch nummer					Tweede (groene) en vierde (rode) cyclus dipswitch nummer				
	1	2	3	4	5	1	2	3	4	5
439.375,0	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	ON
439.387,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF	ON
439.400,0	OFF	OFF	OFF	ON	OFF	ON	ON	ON	ON	OFF
439.412,5	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	ON	OFF
439.425,0	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	ON	OFF
439.437,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	ON	OFF
439.450,0	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	ON	OFF
439.462,5	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	ON	OFF
439.475,0	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	ON	OFF
439.487,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	ON	OFF
439.500,0	OFF	OFF	OFF	ON	OFF	ON	ON	ON	OFF	OFF
439.512,5	OFF	OFF	OFF	ON	OFF	OFF	ON	ON	OFF	OFF
439.525,0	OFF	OFF	OFF	ON	OFF	ON	OFF	ON	OFF	OFF
439.537,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	ON	OFF	OFF
439.550,0	OFF	OFF	OFF	ON	OFF	ON	ON	OFF	OFF	OFF
439.562,5	OFF	OFF	OFF	ON	OFF	OFF	ON	OFF	OFF	OFF
439.575,0	OFF	OFF	OFF	ON	OFF	ON	OFF	OFF	OFF	OFF
439.587,5	OFF	OFF	OFF	ON	OFF	OFF	OFF	OFF	OFF	OFF
439.600,0	ON	ON	ON	OFF	OFF	ON	ON	ON	ON	ON
439.612,5	ON	ON	ON	OFF	OFF	OFF	ON	ON	ON	ON
439.625,0	ON	ON	ON	OFF	OFF	ON	OFF	ON	ON	ON
439.637,5	ON	ON	ON	OFF	OFF	OFF	OFF	ON	ON	ON
439.650,0	ON	ON	ON	OFF	OFF	ON	ON	OFF	ON	ON
439.662,5	ON	ON	ON	OFF	OFF	OFF	ON	OFF	ON	ON
439.675,0	ON	ON	ON	OFF	OFF	ON	OFF	OFF	ON	ON
439.687,5	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	ON	ON
439.700,0	ON	ON	ON	OFF	OFF	ON	ON	ON	OFF	ON
439.712,5	ON	ON	ON	OFF	OFF	OFF	ON	ON	OFF	ON
439.725,0	ON	ON	ON	OFF	OFF	ON	OFF	ON	OFF	ON
439.737,5	ON	ON	ON	OFF	OFF	OFF	OFF	ON	OFF	ON
439.750,0	ON	ON	ON	OFF	OFF	ON	ON	OFF	OFF	ON
439.762,5	ON	ON	ON	OFF	OFF	OFF	ON	OFF	OFF	ON
439.775,0	ON	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	ON
439.787,5	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF	ON
439.800,0	ON	ON	ON	OFF	OFF	ON	ON	ON	ON	OFF
439.812,5	ON	ON	ON	OFF	OFF	OFF	ON	ON	ON	OFF
439.825,0	ON	ON	ON	OFF	OFF	ON	OFF	ON	ON	OFF
439.837,5	ON	ON	ON	OFF	OFF	OFF	OFF	ON	ON	OFF
439.850,0	ON	ON	ON	OFF	OFF	ON	ON	OFF	ON	OFF
439.862,5	ON	ON	ON	OFF	OFF	OFF	ON	OFF	ON	OFF
439.875,0	ON	ON	ON	OFF	OFF	ON	OFF	OFF	ON	OFF
439.887,5	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	ON	OFF
439.900,0	ON	ON	ON	OFF	OFF	ON	ON	ON	OFF	OFF
439.912,5	ON	ON	ON	OFF	OFF	OFF	ON	ON	OFF	OFF
439.925,0	ON	ON	ON	OFF	OFF	ON	OFF	ON	OFF	OFF
439.937,5	ON	ON	ON	OFF	OFF	OFF	OFF	ON	OFF	OFF
439.950,0	ON	ON	ON	OFF	OFF	ON	ON	OFF	OFF	OFF
439.962,5	ON	ON	ON	OFF	OFF	OFF	ON	OFF	OFF	OFF
439.975,0	ON	ON	ON	OFF	OFF	ON	OFF	OFF	OFF	OFF
439.987,5	ON	ON	ON	OFF	OFF	OFF	OFF	OFF	OFF	OFF